

When patients need extra fluoride to manage their caries risk...

Make sure they receive what you prescribe.

Colgate can help you protect your prescription by ensuring pharmacies dispense what you prescribed.



PreviDent® 5000 ppm

PRESCRIPTION STRENGTH TOOTHPASTE

A dental caries preventive



# **Colgate® PreviDent® 5000 ppm** liquid gel toothpastes are specifically formulated for fast fluoride release.



Did you know that pharmacies may dispense alternative high-fluoride toothpastes?

Q

Did you know that you can ensure your prescription is dispensed as prescribed? Here's how:

Write/Check the NDC code for one of the following five unique patented Liquid Gel 5000 ppm formulas:



PreviDent® 5000 ppm Booster Plus (1.1% Sodium Fluoride) Toothpaste Spearmint NDC: 0126-0074-92 Fruitastic NDC: 0126-0072-92



Dispense as Written (DAW), Brand Necessary, or your state-mandated equivalent



PreviDent® 5000 ppm Sensitive (1.1% Sodium Fluoride and 5% Potassium Nitrate) Toothpaste NDC: 0126-0070-61



PreviDent® 5000 ppm Dry Mouth (1.1% Sodium Fluoride) Toothpaste NDC: 0126-0016-61



3.4 FL OZ (100 mL)

PreviDent

✓ Designate number of refills



Order

your Rx pad today at colgateprevident5000.com




### Did you know that not all high-fluoride toothpastes are the same?

- Compared to regular 5000 ppm toothpaste, Colgate® PreviDent® 5000 ppm fast-release gels, a caries preventive, offer your patients faster dispersion—getting the fluoride where it needs to go fast
- Fast dispersion of fluoride is essential, as most patients do not brush for the recommended amount of time

- PreviDent® 5000 ppm Liquid Gel toothpaste
- 5000 ppm toothpaste

**Colgate® Prevident® 5000 ppm** (Rx Only) **liquid gels**, a caries preventive, use a patented liquid gel formula for faster dispersion vs paste-form Rx Toothpaste¹:



#### IMPORTANT SAFETY INFORMATION

PreviDent® 5000 ppm Booster Plus, PreviDent® 5000 ppm Dry Mouth, PreviDent® 5000 ppm Sensitive, PreviDent® 5000 ppm Enamel Protect

- Do not swallow. Keep out of reach of children.
- Acute burning in the mouth and sore tongue may be experienced by some individuals.
- If accidental ingestion occurs, side effects may include nausea, vomiting, diarrhea, and abdominal pain.

#### PreviDent® 5000 ppm Sensitive, PreviDent® 5000 ppm Enamel Protect

• Do not use in pediatric patients under age of 12 unless recommended by a dentist or physician.

Reference: 1. Morgan AM, Joziak MT, Patel V, et al. J Dent Res. 2013;92(Spec Iss A): Abstract 2034.

## Tooth decay risk factors



Receding gumline
With exposure of root surfaces.



Periodontal treatment
Might leave dentin exposed
with an increased risk of dentin
hypersensitivity and root caries.



Orthodontic treatment Increases the number of sites where plaque can accumulate.



Acid erosion
Might expose dentin, leading to hypersensitivity.



Restorations
Might harbor bacteria at their margin, putting them at risk for recurrent decay.



A dry mouth
Can increase your risk
of decay.

Rx pads are available.

Visit colgateprevident5000.com or call 1-800-226-5428 to ask for yours.

S0404341

